Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	40	(wash\$3 near3 machine) same (bolt or screw) near3 (protect\$3 or tub or drum)	US-PGPUB; USPAT	OR	ON	2005/10/20 13:55
S3	759	403/408.1.ccls.	US-PGPUB; USPAT	OR	ON	2005/10/20 13:55
S4	454	S3 and (bolt or screw)	US-PGPUB; USPAT	OR	ON	2005/10/20 14:03
S5	0	S3 and (hole or opening) near5 (power or cord) near5 (screw or bolt)	US-PGPUB; USPAT	OR	ON	2005/10/20 14:04
S6	9	S3 and (power or cord) near5 (screw or bolt)	US-PGPUB; USPAT	OR	ON	2005/10/20 14:23
S7	58	"403"/\$.ccls. and (washing adj machine)	US-PGPUB; USPAT	OR	ON	2005/10/20 14:43
S8	24	bolt near3 (hole or opening or slit or slot) near3 cord	US-PGPUB; USPAT	OR	ON	2005/10/20 14:53
S9	2325	bolt near5 (hole or opening or slit or slot) near5 (cord or cable or wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 14:54
S10	882	bolt near3 (hole or opening or slit or slot) near3 (cord or cable or wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 14:54
S11	500	bolt near3 (hole or opening or slit or slot) near3 (cord or cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 15:56
S12	2	S9 and washing near3 machine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 14:54
S13	30	plug near3 holder near3 bolt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 16:04
S14	2357	((plug or cord) with holder).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 16:04

S15	22	S14 and bolt near3 (plug or cord)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 16:37
S16	47153	("439"/\$.ccls. or "278"/\$.ccls. or "174"/\$.ccls. or 68/3R.ccls) and (bolt or screw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 16:46
S17	1796	S16 and (bolt or screw) near3 (plug or cord)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 17:09
S18	214	"68"/\$.ccls. and (cord or plug) near5 (holder or support or hold or opening or slit or slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/21 10:23
S19	6914	(cord or plug) near5 (holder or support or hold or opening or slit or slot) near3 wall	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/21 10:25
S20	5937	(cord or plug) near5 (holder or opening or slit or slot) near3 wall	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/21 10:25
S21	147	(cord or plug) near5 (holder or opening or slit or slot) near3 wall near3 (bolt or screw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/21 10:45
S22	377	68/3R.ccls. and (bolt or screw or cord or plug or support or bracket or harness or bind\$3 or collar or constraint or rein or tie or yoke)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/21 10:47
S23	20	("2300231"   "3195393"   "3249215"   "3335849"   "3481161"   "3611756"   "3620365"   "3861525"   "3912207"   "4174622"   "4298299"   "4366902").PN. OR ("4624117").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/24 08:56
S24	1356	411/221,216,187,378,402.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/24 08:57

S25	611	S24 and (bolt or screw or fastener)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/24 13:35
S26	48030	"4" and (bolt or screw or fastener) near5 (cord or power or wire)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/24 13:36
S27	759	403/408.1.ccls.	US-PGPUB; USPAT	OR	ON	2005/10/24 13:36
S28	454	S27 and (bolt or screw)	US-PGPUB; USPAT	OR	ON	2005/10/24 13:36
S29	19	S28 and (bolt or screw or fastener) near5 (cord or power or wire)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/24 13:36